



Terms and conditions:

Samtykke til behandling af personoplysninger

Jeg ønsker at blive undersøgt for Covid-19/Corona af Amplexa Genetics.

I denne forbindelse giver jeg samtykke til, at følgende personoplysninger om mig bliver registreret og behandlet af Amplexa Genetics: navn, adresse, fødselsdato, telefonnr. og email. Ligeledes giver jeg samtykke til at oplysninger om hvorvidt jeg har fået COVID-19 eller ikke, bliver behandlet. Amplexa Genetics sletter alt personlig information når det ikke længere er nødvendigt, hvilket som udgangspunkt er så snart de har modtaget svar og vi har modtaget betaling.

Ved positivt resultat:

Jeg er blevet informeret om, at såfremt undersøgelsen af mig viser, at jeg er positiv for Covid-19/Corona, bliver jeg ringet op af Amplexa Genetics for opfølgning. Mine kontaktoplysninger vil blive videregivet til Statens Serum Institut (SSI) og Styrelsen for patient sikkerhed (STPS).

Rettidigt levering af testresultater beror på korrekt e-mailadresse på bestillingsformularen. Fejl i kontaktinformationen vil som minimum medføre forsinket besvarelse. Mindre forsinkelser kan forekomme i tilfælde af tekniske fejl som kræver at testen gentages eller force majeure som midlertidigt umuliggør testens fuldførelse, f.eks. strømafbrydelse.

Ved yderlige spørgsmål:

Tel. 66116628 eller på info@amplexa.com

Consent to handling of personal data

I wish to be examined for Covid-19/corona by Amplexa Genetics.

In connection to this, I give my consent to the registration and handling by Amplexa Genetics of the following personal information regarding me: name, address, birthday, telephone number and email. I also give my consent to the handling of information regarding whether I have tested positive or negative for Covid-19. Amplexa Genetics will delete all personal information when it is no longer needed, which is generally after test results have been send and payment received.

In case of a positive result:

I have been informed that if the examination regarding me shows that I am positive for Covid-19/Corona, Amplexa Genetics will contact me for follow up. My contact information will be provided to Statens Serum Institut (SSI) and Styrelsen for patient sikkerhed (STPS).

Timely delivery of test results depends on correctly input e-mail address on the order form.

Incorrect contact information will as a minimum result in delayed delivery of test results.

Furthermore, test results can be delayed in case of technical errors that require the test to be repeated or instances of force majeure that prevent the completion of the test, e.g. power outage.

Further questions:

Tel. 66116628 or mail info@amplexa.com